

Cheshire, Connecticut 06410 (203) 699-1801 Fax (203) 699-1813

customerservice@mcguiremfg.com mcguiremfg.com

PRODUCT SPECIFICATION


Part No.

C1, HC1

Lock Shield Cap


Job Name:

Submittal Number:



C1

Cap for Standard Line Loose Key and Convertible™ Ball Valve Supplies



HC₁

Heavy Cap for Premiere Line Loose Key Supplies

Specifications:

Chrome plated lock shield Cap for loose key stops.





McGuire Manufacturing Co., Inc.


60 Grandview Court Cheshire, Connecticut 06410 (203) 699-1801 Fax (203) 699-1813

customerservice@mcguiremfg.com mcguiremfg.com


PRODUCT SPECIFICATION

Job Name:

Submittal Number:



Female IPS Thread



Part No.

FT and MT

Waste Vent Connection

Male IPS Thread

Female IPS Thread			
MODEL NO.	IPS A	OD B	NUT
FT44B	1-1/4"	1-1/4"	Less Nut
FT44PC	1-1/4"	1-1/4"	Chrome Plated Brass
FT44PZ	1-1/4"	1-1/4"	Chrome Plated Zinc
FT44RB	1-1/4"	1-1/4"	Rough Brass
FT42B	1-1/4"	1-1/2"	Less Nut
FT42PC	1-1/4"	1-1/2"	Chrome Plated Brass
FT42PZ	1-1/4"	1-1/2"	Chrome Plated Zinc
FT42RB	1-1/4"	1-1/2"	Rough Brass
FT22B	1-1/2"	1-1/2"	Less Nut
FT22PC	1-1/2"	1-1/2"	Chrome Plated Brass
FT22PZ	1-1/2"	1-1/2"	Chrome Plated Zinc
FT22RB	1-1/2"	1-1/2"	Rough Brass

Male IPS Thread				
MODEL NO.	IPS A	OD B	NUT	
MT44B	1-1/4"	1-1/4"	Less Nut	
MT44PC	1-1/4"	1-1/4"	Chrome Plated Brass	
MT44PZ	1-1/4"	1-1/4"	Chrome Plated Zinc	
MT44RB	1-1/4"	1-1/4"	Rough Brass	
MT42B	1-1/4"	1-1/2"	Less Nut	
MT42PC	1-1/4"	1-1/2"	Chrome Plated Brass	
MT42PZ	1-1/4"	1-1/2"	Chrome Plated Zinc	
MT42RB	1-1/4"	1-1/2"	Rough Brass	
MT22B	1-1/2"	1-1/2"	Less Nut	
MT22PC	1-1/2"	1-1/2"	Chrome Plated Brass	
MT22PZ	1-1/2"	1-1/2"	Chrome Plated Zinc	
MT22RB	1-1/2"	1-1/2"	Rough Brass	

Specifications:

Desanko style cast brass waste vent connections. Provided with compression ring and slip nut or body alone. Available with female IPS thread ___FT___ and male IPS thread ___MT____.





Cheshire, Connecticut 06410

(203) 699-1801 Fax (203) 699-1813 customerservice@mcguiremfg.com mcguiremfg.com

PRODUCT SPECIFICATION

Part No.


M Series

Flexible Copper Riser Tubes

Job Name:

with Insert

Submittal Number:



MODEL NO.	SIZE	LENGTH
M65	3/8" Lavatory, Formed metal with insert	12"
M61	3/8" Lavatory, Formed metal with insert	15"
M66	3/8" Lavatory, Formed metal with insert	20"
M62	3/8" Lavatory, Formed metal with insert	36"
M67	1/2" Lavatory, Formed metal with insert	12"
M68	1/2" Lavatory, Formed metal with insert	20"
M69	3/8" Closet	12"
M70	3/8" Closet	20"
M71	1/2" Closet	12"
M72	1/2" Closet	20"
M65C	3/8" Lavatory, Compression	12"
M66C	3/8" Lavatory, Compression	20"
M75	3/8" Lavatory, Sweat	12"
M76	3/8" Lavatory, Sweat	20"



ASME A112.18.2-2/CSA B125.2

Specifications:

Lavatory or Closet Riser annealed flexible copper tubing.





Cheshire, Connecticut 06410 (203) 699-1801 Fax (203) 699-1813

customerservice@mcguiremfg.com mcguiremfg.com

PRODUCT SPECIFICATION

Options and Accessories

Part No.

Job Name:

Submittal Number:

CAST BODY P-TRAP OPTIONS


WALL BEND OPTIONS-

Add suffix to part number.

15 - 15" C to E (1-1/4" and 1-1/2" only)

18 - 18" C to E (1-1/4" and 1-1/2" only)

GJ - Ground joint wallbend Custom sizes available.



FLANGE OPTIONS-

Add suffix to part number.

- Forged Brass, set screw, chrome plated

DF - Deep Flange, (bell type) chrome plated brass

SDF - Deep Flange, (bell type) chrome plated steel

- Box Flange, chrome plated wrought steel

BF - Box Flange, chrome plated brass

STANDARD FINISH OPTIONS-

Add suffix to part number. C - Polished Chrome

SC - Satin Chrome

Custom finishes available.

Options available for McGuire "Classic" Professional Line only.

OPTIONS FOR SUPPLIES

FLANGE OPTIONS - Use suffix after part number.

- Heavy brass, set screw

DF - Deep flange (bell type) wrought brass

SDF - Deep flange (bell type) steel

- Deep flange (box type) steel

BF - Deep flange (box type) wrought brass

RISER OPTIONS- Use suffix after part number.

R15 - 15" Standard Lavatory or Closet

R20 - 20" Standard Lavatory or Closet

R36 - 36" Standard Lavatory

CR - 12" Compression Riser

CR20 - 20" Compression Riser

SR - 12" Sweat Riser

SR20 - 20" Sweat Riser

STUFFING BOX STEM OPTION - Use suffix after part #.

SB - Stuffing Box for Stop Valves. Not available for Convertible™ Ball Valve Supplies.

LOCK SHIELD CAP OPTIONS - Use suffix after part #.

C - Cap for Standard and Heavy Line Loose Key Supply Kits

STOP VALVE HANDLE OPTIONS-Use suffix after part #.

X - Heavy brass Cross Handle

SCREWDRIVER STEP OPTION - Use suffix after part #

SD - Screwdriver Stem for Loose Key Supply Kits

COMMON NIPPLE OPTIONS-

Use suffix after part number.

N3 - 3" Cast brass Nipple

N5 - 5" Cast brass Nipple

Custom sizes available.

OPTIONS FOR STRAINERS AND DRAINS

8", 10", 12" TAILPIECES IN STOCK-

Use suffix after part number.

8 = 8"

10 = 10"

12 = 12"

Custom size tailpiece and configurations available. Specialty gauge brass and stainless also available.

STANDARD FINISH OPTIONS -Add suffix to part number.

- Polished Chrome

S - Satin Chrome

Custom finishes available.



Options available for McGuire "Classic" Professional Line only.



Cheshire, Connecticut 06410

Cheshire, Connecticut 06410
(203) 699-1801 Fax (203) 699-1813
customerservice@mcguiremfg.com mcguiremfg.com

PRODUCT SPECIFICATION


Part No.

SSCLO

Braided Stainless Closet Risers

Job Name:

Submittal Number:



MODEL NO.	SIZE	LENGTH
SSCL009050038	3/8" Comp x 7/8" Ballcock	9"
SSCL012050038	3/8" Comp x 7/8" Ballcock	12"
SSCLO12050050	1/2" Comp x 7/8" Ballcock	12"
SSCLO20050038	3/8" Comp x 7/8" Ballcock	20"



Fanski Group, Inc.

Specifications:

Closet riser shall be stainless steel braided reinforced polymer tube with captive cone washers, heavy-duty brass nut and plastic ballcock wing nut. Risers shall be in compliance with recognized testing authority.





McGuire Manufacturing Co., Inc.

60 Grandview Court

Cheshire, Connecticut 06410 (203) 699-1801 Fax (203) 699-1813

customerservice@mcguiremfg.com mcguiremfg.com PRODUCT SPECIFICATION

Part No.

SSLAV

Braided Stainless Lavatory Risers

Job Name: Submittal Number:



MODEL NO.	SIZE	LENGTH
SSLAV09050038	3/8" Comp x 1/2" FIP	9"
SSLAV12050038	3/8" Comp x 1/2" FIP	12"
SSLAV16050038	3/8" Comp x 1/2" FIP	16"
SSLAV20050038	3/8" Comp x 1/2" FIP	20"
SSLAV30050038	3/8" Comp x 1/2" FIP	30"
SSLAV36050038	3/8" Comp x 1/2" FIP	36"
SSLAV12050050	1/2" Comp x 1/2" FIP	12"
SSLAV20050050	1/2" Comp x 1/2" FIP	20"



Fanski Group, Inc.

Specifications:

Lavatory riser shall be stainless steel braided reinforced polymer tube with captive cone washers and heavy duty brass nuts. Risers shall be in compliance with recognized testing authority.





Job Name:

McGuire Manufacturing Co., Inc. 60 Grandview Court

P.O. Box 746 • Cheshire, CT 06410 203-699-1801 • Fax: 203-699-1813

999-1801 • Fax: 203-699-181; www.mcguiremfg.com


Submittal Number:

PRODUCT SPECIFICATION

Part No.

WB15036017S

Wallbend



Specifications:

Chrome plated seamless tubular brass 17GA wall bend. 1 $1/2 \times 36$ ". Custom sizes available on request.

